

Table 1) Absolute and relative frequency distribution of variables of marital status and education level in the groups of physically abused, sexually abused, and normal women groups (numbers in parentheses are percentages)

Variables	Physically abused group	Sexually abused group	Normal group
Marital status			
Single	9(15.0)	14(31.1)	16(26.7)
Married	47(78.3)	22(48.9)	30(50.0)
Divorced	4(6.7)	9(20.0)	14(23.3)
Education level			
High school	20(33.3)	12(26.6)	13(21.7)
Diploma	18(30.0)	9(20.0)	28(46.6)
Associate degree	5(8.3)	11(24.4)	10(16.7)
Bachelor	12(20.0)	7(15.7)	9(15.0)
Masters	5(8.4)	6(13.3)	0
Total	60(100)	45(100)	60(100)

Table 2) Statistical mean of addiction tendency scores and suicidal ideation components in the three groups

Variables	Physically abused women	Sexually abused women	Normal women
Addiction tendency	56.9±62.26	54.12±44.22	51.6±83.32
Life attraction	22.3±63.98	21.4±20.09	25.4±00.67
Non-acceptance of life	12.4±22.58	15.3±22.65	9.3±92.35
Death attraction	19.6±17.00	19.3±62.72	19.2±17.89
Non-acceptance of death	19.6±08.86	21.4±09.78	23.4±08.57

Table 3) The results of multivariate analysis of variance to compare the mean scores of suicidal ideation components in the three groups

Statistics	Value	F	Significance level	Statistical power	Relative Eta squared
Pillai's trace	0.47	12.31	0.001	1	0.23
Wilks Lambda	0.56	13.13	0.001	1	0.25
Hotelling's trace	0.71	13.96	0.001	1	0.26
Roy's largest root	0.60	24.07	0.001	1	0.38