

Table 1) Absolute and relative frequency (numbers in parentheses are percentage) of demographic data of veterans of group 1 (receiving services, 48 persons) and group 2 (without receiving service, 28 persons)

Variables	Group 1	Group 2
Gender		
Male	46(95.8)	28(100.0)
Female	2(4.2)	0
Status of employment		
Employed	19(39.6)	6(21.4)
Unemployed	29(60.4)	22(78.6)
Marital status		
Single	1(2.1)	0
Married	47(97.9)	28(100.0)
Educational level		
Less than diploma	27(56.2)	8(28.6)
Diploma	16(33.3)	11(39.3)
University degree	5(10.5)	9(32.1)

Table 2) Absolute and relative frequency (numbers in parentheses are percentage), of the types of prescribed services (n=76) and the number of services received by veterans with the difference in the length of lower extremities

Type of Services	Prescribed	Received
Ordinary footwear for compensation of shortness	72(94.7)	47(65.2)
Mold medical insoles for compensation of shortness	46(60.5)	25(54.3)
Stranded neoprene knee pad	32(42.1)	16(50.0)
Sport shoes with insoles for compensation of shortness	2(2.6)	2(100.0)
Short brace	6(7.9)	5(83.3)
Medical belt	28(36.8)	15(53.6)
Karachi cane	8(10.5)	4(50.0)
Wrist band	7(9.2)	3(42.8)
Heel pad	1(1.3)	1(100)
Medical necklace	2(2.6)	1(50.0)
Wheelchair	8(10.5)	1(12.5)
Special toilet	9(11.8)	1(11.1)
Support for elbow	1(1.3)	1(100)
Compression stocking	1(1.3)	0
Finger splint	1(1.3)	0
Spider splint	1(1.3)	0
Hip support	1(1.3)	0

Table 3) Comparison of the subscales of mental health and physical health related to the quality of life assessment in 2014 and 2016 in group 1 (service recipient) and group 2 (without receiving services)

Variable	2014	2016	Significance Level
Mental Health Component Scale			
Group1	49.14±23.00	37.94±26.00	0.002
Group2	58.43±23.90	34.91±24.30	0.000
Physical Component Scale			
Group1	20.83±20.80	34.63±24.10	0.001
Group2	23.13±20.90	25.89±23.50	0.41
Overall Score of Life Quality			
Group1	34.98±19.50	36.28±21.90	0.6
Group2	40.78±19.70	30.40±20.70	0.02

Table 4) Comparison of subscales of quality of life in the evaluation of 2014 and 2016 in two groups (service recipient) and group 2 (without receiving services)

Variables	2014	2016	Changes	Significance Level
General Health (GH)				
Group1	20.31±19.00	23.43±17.40	3.12±22.20	0.24
Group2	18.75±16.10	13.39±15.90	-5.36±17.10	0.10
Significance Level	0.86	0.01		
Physical Function(PF)				
Group1	29.68±29.90	50.52±34.00	20.84±38.70	0.0001
Group2	36.13±31.20	37.50±35.60	0.92±35.00	0.95
Significance Level	0.35	0.10		
Restriction in Physical Role(RP)				
Group1	17.7±36.40	28.12±43.60	10.42±52.50	0.12
Group2	19.64±39.20	19.64±39.20	0.0±49.00	1.00
Significance Level	0.90	0.37		
Restriction in Emotional Role(RE)				
Group1	51.04±49.90	41.66±46.50	-9.38±51.20	0.16
Group2	60.71±49.70	35.71±48.70	-25.0±64.50	0.05
Significance Level	0.40	0.52		
Body Pain (BP)				
Group1	15.62±20.30	36.45±26.70	20.83±27.40	0.0001
Group2	18.75±26.80	33.03±25.50	14.28±31.40	0.01
Significance Level	0.59	0.59		
Mental Health (MH)				
Group1	56.04±23.50	39.79±29.10	-16.25±28.00	0.0001
Group2	61.07±23.90	39.28±25.00	-21.79±28.81	0.001
Significance Level	0.40	0.92		
Vitality (V)				
Group1	41.30±29.90	27.08±25.20	-13.91±32.60	0.01
Group2	59.23±30.10	27.14±25.60	-33.84±36.50	0.001
Significance Level	0.02	0.88		
Social Function (SF)				
Group1	47.87±25.40	43.22±25.60	-3.72±31.26	0.43
Group2	52.67±29.90	37.50±23.00	-15.17±30.60	0.01
Significance Level	0.43	0.53		

Table 5) Absolute and relative frequency (numbers in parentheses are percentages) of Life satisfaction in the evaluation of 2014 and 2016 in group 1 (service recipient; n=48) and group 2 (without service; n=28)

Satisfaction Level	2014	2016
Totally Dissatisfied		
Group 1	8(16.7)	4(8.3)
Group 2	7(25.0)	2(7.1)
Dissatisfied		
Group 1	12(25.0)	13(27.1)
Group 2	3(10.7)	5(17.9)
Quite Satisfied		
Group1	11(22.9)	12(25.0)
Group2	6(21.4)	11(39.3)
No Idea		
Group1	2(4.2)	1(2.1)
Group2	0(0.0)	1(3.6)
Quite Satisfied		
Group1	10(20.8)	10(20.8)
Group2	6(21.4)	6(21.4)
Satisfied		
Group1	4(8.3)	6(12.5)
Group2	5(17.9)	3(10.7)
Totally Satisfied		
Group1	1(2.1)	2(4.2)
Group2	1(3.6)	0(0.0)

Table 6) Absolute and relative frequency (numbers in parentheses are percentages) of rate of satisfaction with the characteristics of medical footwear (n=47)

Characteristics of Medical Footwear	Totally Dissatisfied	Dissatisfied	No Idea	Satisfied	Totally Satisfied
Color	3(6.4)	3(6.4)	3(6.4)	23(48.9)	15(31.9)
Shape	3(6.4)	2(4.2)	3(6.4)	24(51.1)	15(31.9)
Noise	3(6.4)	2(4.3)	2(4.3)	25(53.2)	15(31.9)
Appearance	3(6.4)	3(6.4)	2(4.2)	24(51.1)	15(31.9)
Weight	5(10.6)	6(12.8)	1(2.1)	20(42.6)	15(31.9)
Efficiency	5(10.6)	6(12.8)	2(4.2)	20(42.6)	14(29.8)
Reliability	2(4.2)	3(6.4)	3(6.4)	22(46.8)	17(36.2)
Fitness	3(6.4)	4(8.5)	1(2.1)	22(46.8)	17(36.2)
Comfort	3(6.4)	5(10.6)	1(2.1)	21(44.7)	17(36.2)
Overall Satisfaction	3(6.4)	6(12.8)	2(4.2)	22(46.8)	14(29.8)