

**Table 1)** Means scores of elder misbehavior and distribution of the absolute and relative abundance of basic variables in the subjects (N=500) with and without facing elder misbehavior and its relationship (The items in brackets are in percent)

Variables	Score of misbehavior	Frequency of misbehavior	Frequency of lack of misbehavior	Significance level
<b>gender</b>				
Female	15.72±14.74	168 (80.0)	42(20.0)	0.673
Male	16.23±14.85	232(80.0)	58(20.0)	
<b>Age (year)</b>				
60-70	12.53±10.33	181(75.7)	58(24.3)	0.001
71-80	14.11±13.46	133(77.3)	39(22.7)	
81<	31.00±17.16	86(96.6)	3(3.4)	
<b>Number of children</b>				
No child	17.34±11.22	11(68.8)	5(31.2)	0.001
1-4	12.64±9.79	152(71.7)	60(28.3)	
5<	19.50±16.07	237(87.1)	35(12.9)	
<b>Marital status</b>				
Married	15.4±40.05	342(78.3)	95(21.7)	0.011
Single/ Widow /Discovered	24.14±06.66	58(92.1)	5(7.9)	
<b>Education level</b>				
Illiterate	17.16±79.76	249(81.4)	57(18.6)	0.601
Reading and writing	12.11±65.04	119(78.3)	33(21.7)	
Diploma and the other levels of higher education	13.12±57.68	32(76.2)	10(23.8)	
<b>Living condition of elderly with family</b>				
Living with Spouse	133.10±62.80	169(74.4)	58(25.6)	0.001
Living with wife and child	14.4±56.43	129(79.1)	34(20.9)	
Living with child	27.16±37.76	69(92.0)	6(8/0)	
Single	22.15±79.02	33(94.3)	2(5.7)	
<b>History of disease</b>				
No disease	13.10±09.23	95(72.5)	36(27.5)	0.029
Diabetes	14.13±45.94	93(78.2)	26(21.8)	
High blood pressure	15.14±20.76	156(82.1)	34(17.9)	
The other disease...	20.18±80.34	56(93.3)	4(6.7)	
<b>Ability to walking</b>				
Independent	12.10±68.74	255(75.4)	83(24.6)	0.001
Non-independent	23.16±69.72	145(89.5)	17(10.5)	