

Table 1) the mean comparison of mothers' knowledge of the number of danger signs in the pregnancy period and after the labor, and the most common causes of maternal death in both groups of face-to-face and multimedia software before and after the intervention

Studied Variables	Face-to-Face Training Group			Multimedia Training Group		
	Before Intervention	After Intervention	Significance Level	Before Intervention	After Intervention	Significance Level
	Mean (\pm SD)	Mean (\pm SD)		Mean (\pm SD)	Mean (\pm SD)	
The Signs of Danger in the Pregnancy	(\pm 1.98) 3.18	(\pm 1.74) 5.82	<0.001	(\pm 2.11) 4.01	(\pm 1.38) 6.06	<0.001
The Signs of Danger After the Labor	(\pm 1.31) 1.36	(\pm 1.23) 3.11	<0.001	(\pm 1.21) 1.66	(\pm 0.89) 3.25	<0.001
The Causes of Maternal Death	(\pm 1.18) 1.01	(\pm 1.30) 2.76	<0.001	(\pm 1.22) 1.25	(\pm 1.21) 3.03	<0.001

Table 2) The mean comparison of mothers' knowledge of danger signs during pregnancy, after labor and main cause of mother's death before and after the intervention in the two groups of the face-to-face and multimedia software before and after the intervention

Studies Variables	The Face-to-Face Training Group	The Multimedia Software Training Group	Significance Level
The Signs of Danger during Pregnancy	2.61 (±2.37)	2.05 (±1.89)	0.752
The Signs of Danger during After the Labor	1.75 (±1.53)	1.58 (±1.34)	0.481
The Most common Causes of Mothers' Death	1.75(±1.48)	1.78(±1.42)	0.968