

Table 1) Mean, standard deviation, range score of and Pearson correlation coefficient between BASNEF Model constructs

Variables	1	2	3	4	Mean (\pmSD)	Range
1. knowledge	1				6.85(\pm 2.62)	0-13
2. Attitude	**0.488	1			35.01(\pm 4.68)	8-40
3. Subjective Norms	**0.231	**0.360	1		41.26(\pm 6.48)	10-50
4. Behavioral Intention	**0.322	**0.380	**0.356	1	12.36(\pm 3.86)	4-20
5. Enabling Factors	0.056	0.055	0.008	*0.124	25.62(\pm 5.79)	10-50

*Correlation is significant at the level of 0.05; **Correlation is significant at the level of 0.01

Table 2) Linear regression analysis of BASNEF model constructs to predict the intention to do physical activity behaviors

Variable	Regression Coefficient (β)	Standard Error	Line Slope (b)	Level of Significance	*Explaining Factor (R ²)
Attitude	0.177	0.044	0.214	0.001	21%
subjective Norms	0.144	0.028	0.241	0.001	
knowledge	0.238	0.075	0.161	0.002	
Constant Value	-1.389	1.480		0.349	

Table 3) Logistic regression results of BASNEF model constructs to Predict postpartum physical activity in mothers

Variable	Regression Coefficient	Standard Error	Odds Ratio	Level of Confidence 95%		Level of Significance
				Lower	Higher	
Behavioral Intention	0.140	0.39	1.150	1.065	1.242	0.001
Enabling Factors	0.010	0.23	0.990	0.946	1.037	0.682
Constant Value	-3.158	0.793	0.043	--	--	0.001