

Figure 1) Samples of bands obtained after PCR on 2% agarose gel for positive, negative HPV and their control
1, 2, 4) Positive test, 5) Negative control, 6) Positive control, 7) Marker of 100 bp band




Figure 2) Samples of PCR bands on Agarose gel 2%
for group 18: 1) negative control, 2) positive control, 3) 4) positive samples, 5) marker 100 bp bands
For group 16: 6) negative samples, 7 and 8) positive samples, 9) positive control, 10) negative control

Table 1) Absolute and relative frequency (numbers in parentheses are percentages) of cervical lesions and relation to virus type (high risk and low risk)

Lesion	High-Risk HPV	Low-Risk HPV	HPV (neg)	Total
Carcinoma of Cervix	2(3.0)	0	0	2(3.0)
CINIII	6(9.0)	0	0	6(9.0)
CINII	7(10.4)	0	0	7(10.4)
CINI	11(16.4)	2(3.0)	2(3.0)	15(22.4)
HPV Cytopathic Effect	15(22.4)	15(22.4)	0	30(44.8)
Without Sign	3(4.4)	4(6.0)	0	7(10.4)
Total	44(65.6)	21(31.4)	2(3.0)	67(100.0)




Chart 1) Relationship between cervical lesions and high-risk and low-risk virus types