Table 1) Demographic Characteristics Frequency in the Chemically Injured Veterans (n=292)

Variables	Frequency	Percentage				
Gender						
Male	289	99.0				
Female	3	1.0				
Marital Status						
Married	286	97.9				
Single	6	2.1				
Number of Children						
No child	1	0.3				
One Child	12	4.1				
Two Children	90	30.8				
Three Children	69	23.6				
Four Children and More	114	39.0				
Level of Education						
Illiterate	8	2.7				
Under the Diploma Level	140	47.9				
Diploma and Higher	144	49.3				
Job Status						
No Job	224	76.7				
Employee	68	23.3				
Number of Exposure						
One	207	70.9				
More than One	85	29.1				

Table 2) Frequency of the Axis 1 Diseases in the Veterans with Severe Pulmonary Chemical Injuries (n=292)

Type of the Disorder	Frequency	Percentage
Cognitive Disorder	2	0.7
Drug Dependence	5	1.7
Psychotic Disorder	1	0.3
Mood Disorder		
Major Depressive Disorder (MDD)	84	68.3
Bipolar Mood Disorder (BMD)	5	4.1
Dysthymia	5	4.1
Minor Depression	29	23.5
Total	123	42.1
Anxiety Disorder		
Post-Traumatic Stress Disorder (PTSD)	150	90.4
Adjustment Disorder (AD)	12	7.2
Obsessive-Compulsive Disorder (OCD)	4	2.4
Total	166	56.8
Somatoform Disorders		
Hypochondriasis	1	0.3

 Table 3) Investigating the Psychiatric Disorders according to the Scores of Axis 5 based on GAF

No Disorder	Anxiety Disorder	Depression	Anxiety and Depression	Total
21-30 Scores				
(0.3) 1	(1.4) 4	(0.7) 2	(1.4) 14	(7.2) 21
31-40 Scores				
(3.1) 9	(17.5) 51	(5.5) 16	(9.6) 28	(35.6) 104
41-50 Scores				
(4.4) 13	(12.0) 35	(8.2) 24	(7.5) 22	(32.2) 94
51-60 Scores				
(8.9) 26	(4.4) 13	(2.0) 6	(3.1) 9	(18.5) 54
61-70 Scores				
(2.4) 7	-	(0.3) 1	-	(2.7) 8
71-80 Scores				
-	(0.3) 1	(0.3) 1	-	(0.7) 2
81-90 Scores				
-	(0.3) 1	-	(0.3) 1	(0.7) 2
91-100 Scores				
(2.0) 6	(0.3) 1	-	-	(2.4) 7




Diagram 1) Frequency of Abnormal Face Characteristics of the Veterans with Severe Pulmonary Chemical Injuries (n=292)