

Figure 1) Results of confirmatory factor analysis of Islamic value system (standardized factor load)




Figure 2) Confirmatory factor analysis of the policies implementation of the Forensic Medicine Organization (standardized factor load)

**Table 1)** Indices of fitting the pattern of the Islamic value system

<b>Index</b>	<b>Acceptable limit</b>	<b>Reported amount</b>
<b>Chi-Square Normalized (CMIN/DF)</b>	$3 \geq$	3.274
<b>Goodness of Fit Index (GFI)</b>	$0.9 \leq$	0.891
<b>Adjusted Goodness of Fit Index (GFI)</b>	$0.9 \leq$	0.860
<b>Normed Fit Index (NFI)</b>	$0.9 \leq$	0.912
<b>Incremental Fit Index (IFI)</b>	$0.9 \leq$	0.913
<b>Tucker-Lewis Index (TLI)</b>	$0.9 \leq$	0.909
<b>Comparative Fit Index (CFI)</b>	$0.9 \leq$	0.912
<b>Root Mean Square Error (RMSEA)</b>	$0.08 \geq$	0.076

**Table 2)** Indices of fitting the policy implementation of the Forensic Medicine Organization

<b>Index</b>	<b>Acceptable limit</b>	<b>Reported amount</b>
<b>Chi-Square Normalized (CMIN/DF)</b>	3 $\geq$	3.151
<b>Goodness of Fit Index (GFI)</b>	0.9 $\leq$	0.867
<b>Adjusted Goodness of Fit Index (GFI)</b>	0.9 $\leq$	0.827
<b>Normed Fit Index (NFI)</b>	0.9 $\leq$	0.929
<b>Incremental Fit Index (IFI)</b>	0.9 $\leq$	0.950
<b>Tucker-Lewis Index (TLI)</b>	0.9 $\leq$	0.941
<b>Comparative Fit Index (CFI)</b>	0.9 $\leq$	0.950
<b>Root Mean Square Error (RMSEA)</b>	0.08 $\geq$	0.074