


**Table 1.** The mean scores of the mothers' preventive behavior, awareness, and constructs of the health belief model in studied subjects

<b>Variables</b>	<b>Scores</b>	<b>Percent from the achievable score</b>
<b>Preventive behaviors from injury</b>		
<b>Mother's behavior regarding skin damage</b>	7.89±1.16	87.67
<b>Mother's behavior regarding falling</b>	5.55±0.61	92.50
<b>Mother's behavior regarding radiation damage to the infant</b>	1.94±0.24	97.00
<b>Mother's behavior regarding infant suffocation</b>	2.91±0.33	97.00
<b>In general</b>	18.24±1.78	91.20
<b>Health belief model constructs</b>		
Perceived sensitivity	16.53±2.73	66.12
Perceived severity	24.78±4.18	82.60
Perceived benefits	21.88±3.04	87.52
Perceived barriers	14.97±4.54	74.85
Perceived self-efficacy	28.81±4.34	82.31
Cue to action	20.52±5.72	58.63
<b>Awareness of care for premature infants</b>	12.82±2.72	75.41

**Table 2.** Regression coefficients of demographic variables for studied mothers' behavior

<b>Demographic variables</b>	<b>β coefficient</b>	<b>Standard error</b>	<b>Wald Test</b>	<b>p-value</b>
<b>Mother's education</b>				
Illiterate	0.12	0.70	0.28	0.87
Elementary	-0.46	0.33	1.90	0.17
Secondary and high school	-1.00	0.30	11.63	0.001
University (Ref)	0	-	-	-
<b>Father's education</b>				
Illiterate	-1.48	0.78	3.59	0.06
Elementary	-0.33	0.36	0.83	0.37
Secondary and high school	0.29	0.31	0.85	0.36
University (Ref)	0	-	-	-
<b>Mother's job</b>				
Housewife	-0.17	0.32	0.28	0.60
Employed (Ref)	0	-	-	-
<b>Father's job</b>				
Employee	-0.50	0.30	2.77	0.10
Manual worker	-0.60	0.26	5.55	0.02
Farmer	0.40	0.28	2.00	0.16
Non-governmental (Ref)	0	-	-	-
<b>Newborn gender</b>				
Girl	-0.46	0.16	8.22	0.001
Boy (Ref)	0	-	-	-
<b>Place of residence</b>				
Urban	-0.06	0.22	0.08	0.78
Rural	0	-	-	-
<b>The number of previous preterm infants</b>				
None	0.00	0.24	0.00	0.99
One (Ref)	0	-	-	-
<b>History of stillbirth</b>				
Yes	-0.01	0.18	0.00	0.96
No (Ref)	0	-	-	-
<b>History of abortion</b>				
Yes	0.50	0.28	3.9	0.08
No (Ref)	0	-	-	-
Mother's age	0.06	0.02	5.99	0.01
Father's age	0.001	0.27	0.01	0.92
Number of previous children	0.45	0.13	12.46	0.001
Birth weight	6.99×10 <sup>-5</sup>	0.00	0.22	0.64



**Figure 1.** Standardized regression coefficients in the path model

**Table 3.** Direct, indirect and overall regression coefficients of the constructs of the health belief model on the behavior of the studied mothers

<b>Paths</b>	<b>Non-standardized regression coefficient</b>	<b>Standard regression coefficient</b>	<b>Standard error</b>	<b>Critical section</b>	<b>p-value</b>
<b>Direct effects</b>					
Cue to action →perceived sensitivity	0.13	0.27	0.02	5.38	0.001
Cue to action →perceived severity	0.18	0.24	0.04	4.84	0.001
Cue to action →behavior	0.01	0.04	0.01	0.79	0.430
Perceived self-efficacy →behavior	0.05	0.13	0.02	2.58	0.010
Perceived benefits →behavior	0.20	0.34	0.03	6.10	0.001
Perceived barriers →behavior	0.02	0.05	0.02	1.20	0.230
Perceived sensitivity →behavior	0.08	0.12	0.04	2.9	0.035
Perceived severity →behavior	0.07	16/0.	0.02	2.80	0.005
<b>Indirect effects</b>					
Cue to action →behavior	0.02	0.07	0.02	-	0.010
<b>Overall effects</b>					
Cue to action →behavior	0.03	0.09	0.02	-	0.040